THERMAL DYNAMICS®

1Torch™

with SURELOK™ Technology

Replacement Plasma Torches

Hand Torches

SL60™ **SL100™**

Machine Torches

SL100™

Torches Adapter Kits

Torches can easily be installed on most Manufacturers' Units

- Esab
- Hypertherm
- L-Tec
- Hobart
- Lincoln
- Smith
- Miller
- Harris

…and more!

Reference Guide

1Torch Reference Guide

System	1Torch Conversion Requirements

ESAB / LTEC®

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Unit Adapter Kit	Spare Parts Kit
PCM-SMi	PT-31/31XL	14	PCH-42	7-3425	5-4202
PCM-31	PT-31/31XL	30	SL60™	7-3425	5-2550
PCM-32/34i	PT-31/31XL	30	SL60™	7-3425	5-2550
PCM-VPi	PT-31/31XL	40	SL60™	7-3425	5-2551
PCM-500i	PT-31/31XL	35	SL60™	7-3425	5-2550
PCM-625i	PT-31/31XL	40	SL60™	7-3425	5-2550
PCS-40	PT-31/31XL	40	SL60™	7-3425	5-2551
PCM 750i (Yellow)	PT-27	50	SL60™	7-3429	5-2552
PCS-53	PCT-80	50	SL60™	7-3435	5-2552
PCM 875	PT-27	60	SL60™	7-3429	5-2553
PCM 1000i (Yellow)	PT-27	80	SL100™	7-3429	5-2555
PCM 1125	PT-27	70	SL100™	7-3429	5-2555
PCS-80	PCT-100	80	SL100™	7-3435	5-2555
PCS-90	PCT-100	90	SL100™	7-3435	5-2556
ESP100i	PT-25	100	SL100™	7-3426	5-2556
Sidewinder 30	PCH-51	30	SL60™	7-3434	5-2550
Sidewinder 55	PCH-51	55	SL60™	7-3434	5-2552
Sidewinder 105	PCH-52	105	SL100™	7-3434	5-2556
PCM-52/54i	PT-17/17A	50	SL60™	7-3426	5-2552
PCM-50	PT-17/17A	50	SL60™	7-3428	5-2552
PCM-50A	PT-17/17A	50	SL60™	7-3426	5-2552
PCM-70	PT-17/17A	70	SL60™/SL100™	7-3426	5-2554
PCM-80	PT-17/17A	80	SL100™	7-3426	5-2555
PCS-80i	PT-100	80	SL100™	7-3425	5-2555
PCM-82/84i	PT-17/17A	70	SL60™/SL100™	7-3426	5-2554
PCM-100 Single Gas	PT-17/17A	100	SL100™	7-3426	5-2556
PCM-100 Dual Gas	PT-17/17A	100	SL100™	7-3428	5-2556
PCM-750i (Green)	PT-27	50	SL60™	7-3435	5-2552
PCM-1000i (Green)	PT-27	80	SL100™	7-3435	5-2555
PowerCut 650	PT-31XLPC	40	SL60™	7-3464	5-2551
PowerCut 875	PT-32	60	SL60™	7-3465	5-2553
PowerCut 1125	PT-32	70	SL100™	7-3465	5-2555
PowerCut 1250	PT-32EH	70	SL60™/SL100™	7-3462	5-2554
PowerCut 1500	PT-32	90	SL100™	7-3462	5-2556
PCM-101	PT-101	100	SL100™	7-3436	5-2556

Note: ESAB and LTEC offered numerous products with the same product name. Those that were not identical in design are designated Yellow for ESAB products and Green for LTEC products.

System	1Torch Conversion Requirements

HARRIS® Plasma Systems					
System Model	OEM Torch	Current Rating	RPT Torch (see selector chart)	Unit Adapter Kit	Spare Parts Kit
System 50		50	SL60™	7-3439	5-2552
System 65		65	SL60™/SL100™	7-3439	5-2554
System 100		100	SL100™	7-3439	5-2556

HOBART® Plasma Systems					
System Model	OEM Torch	Current Rating	RPT Torch (see selector chart)	Unit Adapter Kit	Spare Parts Kit
Smoothcut 30	TP3A	30	SL60™	7-3425	5-2550
Smoothcut 625	PT-31	40	SL60™	7-3425	5-2551
Smoothcut 50(single gas)	PT-31	50	SL60™	7-3426	5-2552
Smoothcut 50(dual gas)	PT-17	50	SL60™	7-3428	5-2552
Smoothcut II 35A	HSC-30A	35	SL60™	7-3427	5-2551
Smoothcut II 60A	TP6A	60	SL60™	7-3427	5-2553
Smoothcut II 100A	TP10A	100	SL100™	7-3427	5-2556
Cybercut 2050	ICE-50C	50	SL60™	7-3457	5-2553
Fab Shop		100	SL100™	7-3440	5-2556

HYPERTHERM® Plasma Systems					
System Model	OEM Torch	Current Rating	RPT Torch (see selector chart)	Unit Adapter Kit	Spare Parts Kit
Max40 (H/F Start)	PAC140	40	SL60™	7-3430	5-2551
Max 70 (w/wo Q.D.)	PAC130	70	SL60™/SL100™	7-3430	5-2554
Max 80 (w/wo Q.D.)	PAC130	80	SL100™	7-3430	5-2555
Max 100 (w/wo Q.D.)	PAC130	100	SL100™	7-3430	5-2556
Max 40cs (wo/ Q.D.)	PAC120	40	SL60™	7-3476	5-2551
Max 40cs	PAC120	40	SL60™	7-3454	5-2551
Max 42	PAC120	35	SL60™	7-3454	5-2551
Max 43	PAC120	35	SL60™	7-3454	5-2551
powermax 190C	PAC105T	12	SL60™	7-3485	5-2550
powermax 350	PAC110T	25	SL60™	7-3484	5-2550
powermax 380	PAC110T	25	SL60™	7-3477	5-2550
powermax 600	PAC123	35	SL60™	7-3454	5-2551
powermax 600 (wo/ Q.D.)	PAC123	35	SL60™	7-3480	5-2551
powermax 800	PAC121	50	SL60™	7-3454	5-2552
powermax 800 (wo/ Q.D.)	PAC121	50	SL60™	7-3481	5-2552
powermax 900	PAC125	55	SL60™	7-3454	5-2552
powermax 900 (wo/ Q.D.)	PAC125	55	SL60™	7-3481	5-2552
powermax 1100	PAC135	80	SL100™	7-3455	5-2555
powermax 1000	T60	60	SL60™	7-3461	5-2553
powermax 1250	T80	80	SL100™	7-3461	5-2555
powermax 1650	T100	100	SL100™	7-3483	5-2556

1Torch Reference Guide

System	1Torch Conversion Requirements

LINCOLN® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Procut 40	PCT-40	40	SL60™	7-3486	5-2551
Procut 60	PCT-60	60	SL60™	7-3431	5-2553

MILLER® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Plazcut 60/Zipcut	APT-1000	50	SL60™	7-3432	5-2552
Spectrum 250D	APT-3000	30	SL60™	7-3433	5-2550
Spectrum 375	ICE-27C	27	SL60™	7-3477	5-2550
Spectrum 500	APT-5000	50	SL60™	7-3433	5-2552
Spectrum 625	ICE-40C	40	SL60™	7-3478	5-2551
Spectrum 650	ICE-50C	50	SL60™	7-3457	5-2552
Spectrum 700	ICE-50	50	SL60™	7-3430	5-2552
Spectrum 701	ICE-50C	50	SL60™	7-3457	5-2552
Spectrum 750	APT-7000	70	SL60™	7-3433	5-2552
Spectrum 1000	ICE/M-70/100	70	SL60™/SL100™	7-3430	5-2554
Spectrum 1250	ICE/M-70/100	100	SL100™	7-3430	5-2556
Spectrum 2050	ICE-50/55C	55	SL60™	7-3457	5-2552
Spectrum 3080	ICE-80C	80	SL100™	7-3456	5-2555
Spectrum PLUS	ICE/M-70/100	85	SL100™	7-3430	5-2555

OTC® (Panasonic) Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
D5000		30	SL60™	7-3437	5-2550
D7000		70	SL60™	7-3437	5-2552

PTRON® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
P-Tron 75		60	SL60™	7-3437	5-2553
P-Tron 100		80	SL60™/SL100™	7-3437	5-2555

1Torch Reference Guide

System	1Torch Conversion Requirements

THERMAL DYNAMICS® Plasma Systems					
System Model	**OEM Torch Model**	**Current Rating**	**RPT Torch (see selector chart)**	**Adapter Kit**	**Spare Parts Kit**
Drag-Gun 38	PCH25/38	29	SL60™	7-3443	5-2550
PAK 3XR	PCH-51	31	SL60™	7-3446	5-2550
PAK 5XT	PCH-51	50	SL60™	7-3446	5-2552
PAK 5XR	PCH-51	55	SL60™	7-3446	5-2552
PAK 625XR	PCH-51	55	SL60™	7-3446	5-2552
PAK 6XR	PCH-51	65	SL60™/SL100™	7-3446	5-2554
PAK 750XR	PCH-51	65	SL60™/SL100™	7-3446	5-2554
PAK 7XR	PCH-52	70	SL60™/SL100™	7-3446	5-2554
PAK 8XR	PCH-52	80	SL100™	7-3434	5-2555
PAK 1000XR	PCH-52	80	SL100™	7-3434	5-2555
PAK 10XR	PCH-52	105	SL100™	7-3434	5-2556
PAK 1250XR	PCH-52	105	SL100™	7-3434	5-2556
PAK Master 25	PCH-25	20	PCH-42	7-3443	5-4204
PAK Master 38XL	PCH25/38	29	SL60™	7-3443	5-2551
PAK Master 50	PCH-35	35	SL60™	7-3445	5-2551
PAK Master 50XL	PCH-28	35	SL60™	7-3447	5-2551
PAK Master 50XL Plus	PCH-40	40	SL60™	7-3447	5-2551
PAK Master 75	PCH-75	55	SL60™	7-3447	5-2552
PAK Master 75XL	PCH-75	55	SL60™	7-3447	5-2552
PAK Master 75XL Plus	PCH-60	60	SL60™	7-3447	5-2553
PAK Master 100	PCH-53	70	SL60™/SL100™	7-3434	5-2554
PAK Master 100XL	PCH-100XL	70	SL60™/SL100™	7-3447	5-2554
PAK Master 100XL Plus	PCH-80	80	SL100™	7-3447	5-2555
Cut Master 50	PCH-62	40	SL60™	7-3447	5-2551
Cut Master 80XL	PCH-75	60	SL60™	7-3447	5-2553
Cut Master 75	PCH-102	60	SL60™	7-3447	5-2553
Cut Master 100	PCH-102	80	SL100™	7-3447	5-2555
EconoPak 25	PCH-25	20	PCH-42	7-3443	5-4204
EconoPak 50	PCH-26	35	SL60™	7-3449	5-2551
EconoPak 100	PCH-76	60	SL60™	7-3450	5-2553
Dyna-PAK 110	PCH-20	20	PCH-42	7-3443	5-4204
PAK 2XT	PCH-20	20	PCH-42	7-3443	5-4204
PAK-4XI	PCH-51	40	SL60™	7-3443	5-2551
PAK-6XI	PCH-51	60	SL60™	7-3443	5-2553
PAK 5	PCH-50	50	SL60™	7-3444	5-2552
PAK 10	PCH-100, PCH-4B	100	SL100™	7-3436	5-2556

System	1Torch Conversion Requirements

INNERLOGIC® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
SR45i		45	SL100™		

AIRCO/BOC® (Esab) Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
PCS-43		40	SL60™	7-3425	5-2551
PCS-53	PCT-80	50	SL60™	7-3435	5-2552

CENTURY® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
82020		20	SL60™	7-3476	5-2550
82050		50	SL60™	7-3476	5-2552
M2050		50	SL60™	7-3476	5-2552
82100		100	SL100™		5-2556

DAYTON® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
3W722A		20	SL60™	7-3476	5-2550
5Z031B		50	SL60™	7-3476	5-2552

MATCO® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
2020		20	SL60™	7-3476	5-2550
2050		50	SL60™	7-3476	5-2552

SOLAR® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Sol 2020		20	SL60™	7-3476	5-2550
Sol 2050		50	SL60™	7-3476	5-2552
20-50		50	SL60™	7-3476	5-2552

Please call Thermal Dynamics Technical Services for any system not found listed.

System	1Torch Conversion Requirements

POWCON® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Starcut		100	SL100™	7-3430	5-2556

SMITH® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
SPC-30		30	SL60™	7-3442	5-2550
SPC-20-50		50	SL60™	7-3442	5-2552
SPC-40-80		80	SL100™	7-3442	5-2555
PowerPro 55		55	SL60™	7-3487	5-2552
PowerPro 75		70	SL100™	7-3487	5-2555

CEBORA® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Pocket 25		25	SL60™	7-3476	5-2550
50		50	SL60™	7-3438	5-2552

DAIHEN® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
SC-60P		60	SL60™	7-3432	5-2553
MRAT-70		70	SL60™/SL100™	7-3437	5-2554

MULTIQUIP® Plasma Systems

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
PCX50SS		50	SL60™	7-3437	5-2552

Please call Thermal Dynamics Technical Services for any system not found listed.

System	1Torch Conversion Requirements

SNAP-ON® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
YA-2230		30	SL60™	7-3476	5-2550
YA-5550		50	SL60™	7-3476	5-2552
YA-5550A		50	SL60™	7-3476	5-2552
YA-3440		100	SL100™	7-3430	5-2556

MARQUETTE® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
12/150		30	SL60™	7-3476	5-2550
12/200		50	SL60™	7-3476	5-2552

NU-TECSYS® Plasma Systems					
System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit
Omnicut 375		40	SL60™	7-3438	5-2551
PCA-30/60		60	SL60™	7-3441	5-2553
PCA-65		65	SL60™/SL100™	7-3441	5-2554

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit

System Model	OEM Torch Model	Current Rating	RPT Torch (see selector chart)	Adapter Kit	Spare Parts Kit

Please call Thermal Dynamics Technical Services for any system not found listed.

Torch Selection

Hand Torches

RPT Torch Model	Connection		Description	Length	Catalog No.	Unit Adapter Kit	ATC Adapter	Spare Parts Kit
SL60™	RPT-O2B		75 Deg Torch/Leads	20 ft	7-5200	see Reference Guide	N/A	see Reference Guide
				50 ft	7-5201			
	ATC		75 Deg Torch/Leads	20 ft	7-5204	see Reference Guide	7-5207	see Reference Guide
				50 ft	7-5205			
		Options	Lead Extensions	15 ft	7-7544	N/A	N/A	N/A
				25 ft	7-7545			
				50 ft	7-7552			
SL100™	RPT-O2B		75 Deg Torch/Leads	20 ft	7-5202	see Reference Guide	N/A	see Reference Guide
				50 ft	7-5203			
	ATC		75 Deg Torch/Leads	20 ft	7-5206	see Reference Guide	7-5207	see Reference Guide
				50 ft	7-5208			
		Options	Lead Extensions	15 ft	7-7544	N/A	N/A	N/A
				25 ft	7-7545			
				25 ft	7-7552			

Mechanized Torches-Standard

RPT Torch Model	Connection		Description	Length	Catalog No.	Unit Adapter kit	ATC Adapter	Spare Parts Kit
SL100™	RPT-O2B		* 180 Deg Torch/Leads	25 ft	7-5209	see Reference Guide	N/A	see Reference Guide
				50 ft	7-5210			
	ATC		180 Deg Torch/Leads	5 ft	7-5213	see Reference Guide	7-5207	see Reference Guide
				10 ft	7-5214			
				25 ft	7-5215			
				50 ft	7-5216			
		Options	Lead Extensions	15 ft	7-7544	N/A	N/A	N/A
				25 ft	7-7545			
				25 ft	7-7552			
			† Remote Interface Adapter	N/A	7-3474	N/A	N/A	N/A
	Options		Remote Pendant	25 ft	7-3460	N/A	N/A	N/A

*Remote Pendant Interface Kit (7-3452) included in each RPT-O2B torch

† Remote Interface Kit (7-3474) provides an optional in-line remote interface connection and can be placed anywhere between the ATC Torch connection or Lead Extension and ATC Adapter.

Torch Selection

Mechanized Torches-Shielded								
RPT Torch Model	**Connection**		**Description**	**Length**	**Catalog No.**	**Unit Adapter kit**	**ATC Adapter**	**Spare Parts Kit**
SL100™	**RPT-O2B**		*** 180 Deg Torch/Leads**	**25 ft**	**7-5211**	**see Reference Guide**	**N/A**	**see Reference Guide**
				50 ft	**7-5212**			
	ATC		**180 Deg Torch/Leads**	**5 ft**	**7-5219**	**see Reference Guide**	**7-5207**	**see Reference Guide**
				10 ft	**7-5220**			
				25 ft	**7-5221**			
				50 ft	**7-5222**			
		Options	**Lead Extensions**	**25 ft**	**4-7854**			
				50 ft	**4-7855**			
			† Remote Interface Adapter	**N/A**	**7-3474**	**N/A**	**N/A**	**N/A**
	Options		**Remote Pendant**	**25 ft**	**7-3460**	**N/A**	**N/A**	**N/A**

*Remote Pendant Interface Kit (7-3452) included in each RPT-O2B torch
† Remote Interface Kit (7-3474) provides an optional in-line remote interface connection and can be placed anywhere between the ATC Torch connection or Lead Extension and ATC Adapter.

Accessories

Thermal Dynamics offers these handy accessories to help improve your cutting performance.

TORCH CUTTING GUIDES / GUIDE KITS

Cutting Guide Kit (Deluxe)

Cat. No. 7-8910

This kit includes easy add-on attachments to fit most Thermal Dynamics torches for precise straight line, circle cutting and beveling. Includes carrying case.

Radius / Roller Cutting Guide Kit

Cat. No. 7-7501

For use with most Thermal Dynamics torches, this easy-to-use kit improves cut quality and speed plus increases your parts life by maintaining constant torch tip height. Used as a Roller Guide or a Circle Cutting Guide. As a Roller Guide, torch maintains consistent height off work piece. As a Circle Cutting Guide, height is maintained as you cut circles from 3" up to 3'. Great for the novice or experienced user.

Circle Cutting Guide Kit

Cat. No 7-3291

For use with most Thermal Dynamics torches, this kit is an excellent choice when precise circle cutting or beveling is required. Guide shown with optional pivot (7-3148).

Torch Guide / Circle Cutting Attachment

Cat. No. 7-7505

Designed for use with the PCH/M-120 Torch, this accessory can be used as either a Roller Guide or a Circle Cutting Guide.

Straight Line Cutting Guide

Cat. No 7-8911

Introducing a new cutting guide accessory suitable for all hand torches, PCH-10 through PCH-102. This versatile, straight line cutter is for hand held systems and it cuts vertical, 90°, or bevel cuts. Its consistent standoff improves cut quality and maximizes overall performance. Produces more efficient straight line cuts. Lightweight, minimum set up time and no power required. Magnetic mounts ensure placement and ease of use. Optional suction plates available for non-magnetic applications (i.e. aluminum and stainless steel). The Cutting Guide Kit (Cat. No. 7-8911) includes: 4 ft. standard rail Torch Holder and Busing Heavy Duty Magnets (2 ea.) Slide Assembly Wheels and Fasteners.

Standoff Cutting Guides

Cat. No. 8-7575 for PCH-102, Cat. No. 9-8415 for PCH-62

A simple push-on attachment. This accessory maintains a standoff height as you cut. Especially helpful for small, hard-to-reach places.

MISCELLANEOUS TORCH ACCESSORIES

Leather Leads Cover

All Systems

15 ft. (4.6m)	9-1258
20 ft. (6.1m)	9-1260
25 ft. (7.6m)	9-1270
50 ft. (15.2m)	9-1280

Torch Protector

Cat No. 9-8135 for 70° Torch,
Cat No. 9-8136 for 90° Torch

For use with the PCH-120 Torch, this rugged protector easily snaps onto the torch providing excellent protection against damage caused by excessive heat or metal sparks.

Trigger Guard Kits

Cat No. 9-8418 - Short Trigger Guard,
Cat No. 9-8419 - Long Trigger Guard

For use with SureLok® Torches, these guards offer additional protection from accidental activation of the torch switch.

Remote Pendant Control

Cat No. 7-3460 - 20 ft. (6.1m)

For use with 1Torch™ automation torch.

SPARE PARTS KITS

Optional VIP Consumable Spare Parts Kits

Various Cat. Nos.

Although a Spare Parts Kit is provided with each CUTMASTER™ and PakMaster® Cutting System, Thermal Dynamics also offers Value Incentive Packages (VIP) which are an excellent value and provide an ample supply of genuine consumable parts. Each VIP Kit offers a good selection of tips, electrodes, o-rings, and shield cups. Reduce the risk of shutting your business down or not being able to finish a job. Most VIP Kits will save you 30% or more.



LEADS EXTENSIONS

ATC™ Leads Extensions

15 ft. (4.6m)	7-7544
25 ft. (7.6m)	7-7545
50 ft. (15.2m)	7-7552

Available for any system using 1Torch with ATC Quick disconnect. Leads Extensions enable you to customize your lead length to suit the cutting job.

AIR FILTER/AIR FILTER KITS

For improved consumable parts life and overall performance, TDC recommends Air Filter Kits be used on all plasma cutting systems.

Single Stage Air Filter Kit

Cat. No. 7-7507 — Filter Body 9-7740, Hose 9-7742, Filter Element 9-7741

For use with shop compressed air systems, this in-line filter will not allow moisture or water to pass through the element even if it becomes completely saturated. This hi-tech filter element actually blocks the absorption of water to increase performance and improve consumable parts life.

Accessories

Thermal Dynamics offers these handy accessories to help improve your cutting performance.

AIR FILTER/AIR FILTER KITS (CONT.)

For improved consumable parts life and overall performance, TDC recommends Air Filter Kits be used on all plasma cutting systems.

Two Stage Air Filters

Cat. No. 7-7502
For PakMaster® 150XL Systems

Cat. No. 7-7500
For CUTMASTER™ and PakMaster Systems

The Two Stage Air Filter will remove moisture and contaminants from the air stream when using compressed air. The filter is capable of filtering to at least 5 microns. The filter assembly is pre-assembled at the factory and need only be installed on the power supply.

First Stage Element
Cat. No. 9-1021

Second Stage Element
Cat. No. 9-1022

MISCELLANEOUS ACCESSORIES

Leads Wrap

Cat. No. 9-7865

For use with the Drag-Gun®, this convenient accessory allows storage and safeguarding of your leads.

Tool Boxes

Cat. No. 8-3141 - Small, Cat. No. 9-4173 - Large

Plastic boxes with handy compartments for storage of your torch consumables. Small (8.375" x 4.25" x 1.75"), Large (17.5" x 7.75" x 3")

Automation Interface Kit

Cat. No. 9-8310

CNC Interface Cable

25 ft. (7.6m)	9-8312
50 ft. (15.2m)	9-8313

Pinion Assembly

Cat. No. 7-2827

Welding Gloves

Cat. No. 9-1250

PORTABLE GEAR

Multi-Purpose Cart

Cat. No. 7-8888

Designed for most portable manual cutting systems such as the PakMaster or CUTMASTER , or any other similar sized systems.

This rugged steel cart has easy rolling 8" diameter wheels along with 3" front mounted casters. This cart also serves as an excellent showroom display stand.

Wheel Kit

Cat. No. 9-8510
For CUTMASTER™ 51 Systems

Cat. No. 9-8331
For CUTMASTER™ 81 and 101 Systems

WORLD HEADQUARTERS: Suite 300, 16052 Swingley Ridge Road • St. Louis, MO 63017 • 636-728-3000

THERMAL DYNAMICS®

THERMADYNE®

82 Benning Street • West Lebanon, NH 03784
CUSTOMER SERVICE: 800-752-7621 • FAX 800-221-4401

International Customer Service
Oakville, Ontario, Canada
Ph: (1) 905-827-9777
Fax: (1) 905-827-9797

Thermadyne Canada
Oakville, Ontario Canada
Ph: (1) 905-827-1111
Fax: (1) 905-827-3648

Thermadyne Europe
Chorley, England
Ph: (44) 1257-261755
Fax: (44) 1257-224800

Thermadyne Asia Sdn. Bhd.
Kuala Lumpur, Malaysia
Ph: (603) 6092-2988
Fax: (603) 6092-1085

Cigweld Australia
Melbourne, Australia
Ph: (61) 3-9474-7400
Fax: (61) 3-9474-7510

Unique Welding Alloys
Johannesburg, South Africa
Ph: (27) 11-917-3600
Fax: (27) 11-917-8580

Thermadyne Victor Brasil
Rio de Janeiro, Brazil
Ph: (55) 21-2-485-8990
Fax: (55) 21-2-485-8735

Thermadyne Middle East
Dubai, United Arab Emirates
Ph: (971) 4-332-9060
Fax: (971) 4-332-5484

Thermadyne de Mexico
Mexico City, Mexico
Ph: (52) 55-5657-9494
Fax: (52) 55-5648-8805

Thermadyne Japan
Osaka, Japan
Ph: (81) 6-4809-8411
Fax: (81) 6-4809-8412

Thermadyne Chile
Santiago, Chile
Ph: (56) 2-557-2465
Fax: (56) 2-557-5349

Form No. 63-2331 (2/04)
© Thermal Dynamics Corp., 2004